



T.P 0360

Docket No.: 112439.120

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of

Dario GRISTINA et al.

Serial No.: 10/051,542

Filed: January 17, 2002

:  
:  
:  
:  
: APPLICATIONS BRANCH  
:  
:

For: SYSTEM FOR MANAGING RESOURCE INFRASTRUCTURE AND RESOURCE CONSUMPTION IN REAL TIME

**RESPONSE TO NOTICE TO FILE  
CORRECTED APPLICATION PAPERS**

Honorable Commissioner for Patents  
Washington D.C. 20231

Sir:


In response to the Notice to File Corrected Application Papers dated February 19, 2002, submitted herewith are the following documents for filing in the above-referenced application:

1. Copy of the Notice to File Corrected Application Papers
2. Petition for Extension of Time
3. 68 Pages of Substitute Specification
4. 42 Sheets of Substitute Drawings

Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account 08-0219 and please credit any excess fees to such deposit account.

Respectfully submitted,

HALE AND DORR LLP

  
M. Scott Carey  
Registration No. 50,998

300 Park Avenue  
New York, NY 10022  
212 937 7200  
Date: May 20, 2002

20020520 15:00



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/051,542	01/17/2002	Dario Gristina	112439.120

28089  
HALE AND DORR LLP  
300 PARK AVENUE  
NEW YORK, NY 10022



CONFIRMATION NO. 9650

## FORMALITIES LETTER



\*OC00000007494090\*

Date Mailed: 02/19/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
  - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).
- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE